

A

ACA (Auto Contingent Allegiance), 114, 425

access attacks, 338

access control, 340

- application, 341-344
- BURA, 347-348
- MAC, 135, 164, 186, 344, 423
- management, 344-347

access control lists (ACLs), 342, 351, 354

access nodes, 194

access time. *See* seek time

access time optimization, 74

accessibility. *See also* availability; high availability

- IA, 230
- monitoring, 364-365, 368-370

accountability service, 335-336. *See also* security

active attacks, 338

Active Directory, 161, 346, 355, 356, 407

active paths, 83

active-active arrays. *See* high-end intelligent storage systems

active-passive array configuration, 84. *See also* midrange intelligent storage systems

actuator arm assembly, 29

addressing. *See specific types of addressing*

advanced encryption standard (AES), 277, 408

alerts, 374-375, 391-392

ANSI (American National Standards Institution), 104, 105, 107, 118

API (application programming interface), 39

applications, 44-45

- as data center element, 4, 10, 11
- file serving, 9

application access domain, 341-344

application user interface (AUI), 11, 44, 395

application-specific integrated circuit (ASIC), 23

Arbitrated Loop, FC. *See* FC-AL

Arbitrated Loop Physical Address (AL-PA), 126, 134

arbitration (ARB) frame, 126, 127

archives. *See also* CAS

- active, 407
- backups, 252-253
- compliance requirements, 192
- fixed content, 190, 407, 408

arithmetic logic unit (ALU), 22

arrival rate, 35

assets (risk triad), 336, 337

asynchronous remote replication, 310

ATM (Asynchronous Transfer Mode), 124, 133, 153, 324, 408

attack surface, 339

authentication, 161. *See also* Active Directory; CHAP; Kerberos; LDAP
 AES, 277, 408
 FC-SP, 343, 348, 349
 IPSec, 183, 186, 343, 350, 420
 iSCSI, 183
 NAS, 355-357
 RADIUS, 350, 361, 428
 security zones, 350
 authorization. *See also* Active Directory; RADIUS
 ControlCenter, 387
 Kerberos, 356-357
 NAS, 355-357
 VSAN, 352
 automatic path failover, 242, 244-247
 Automatic Volume Management, 165
 autoprobe/autorestore, 242
 availability. *See also* high availability
 BC, 280
 data center elements, 12
 NAS, 160-163
 security, 336
 Avamar, 279
 average queue size, 36, 37, 38

B

back end
 intelligent storage system, 79
 Invista, 219
 Symmetrix DMX, 93
 back-end nodes, 194
 backup(s), 241, 251-281. *See also* disaster recovery; local replication; remote replication
 archival, 252-253
 considerations, 253-254
 to disks, 272-273
 granularity, 254-257
 LAN-free, 264
 methods, 258-259
 in NAS environments, 265-269
 NetWorker, 276-280
 operational, 252
 physical tape libraries, 270-272
 process, 259-260
 purposes, 252-253
 recovery considerations, 252, 257
 restore operations, 252, 257, 260-262
 SAN-based, 264

to tapes, 269-272
 technologies, 269-275
 topologies, 262-265
 backup window, 284
 bare-metal recovery (BMR), 259
 BC planning lifecycle, 235-237
 BC technology solutions, 241, 248
 bits, 24
 bitwise XOR operation, 56, 66
 blade server architecture, 144
 BLOB (binary large object), 196
 block storage technology, 171. *See also* IP-SANs
 block-level access, 9, 44, 45, 99
 block-level storage virtualization, 212, 216-217
 bridged iSCSI, 175, 176
 buffer, 34
 buffer-to-buffer credit (BB_Credit), 137
 bunker, 318
 buses, 24-25
 Business Continuance Volumes (BCVs), 302, 303, 304, 410
 business continuity (BC), 229-249. *See also* backups; local replication; remote replication
 BIA, 240-241
 failure analysis and, 238-239
 goal of, 247-248
 information availability, 230-233
 business impact analysis (BIA), 240-241

C

CA (content address), 189
 cables, 24
 optical fiber, 122-123
 cache, 71, 72, 74-79
 data protection, 78-79
 failure, 77, 78, 79
 global, 77, 84, 89, 91
 implementation, 77
 L1, 22
 LRU, 77, 78, 421
 management, 77-78
 MRU, 78, 423
 read operation, 75-76
 write operation, 76-77
 cache mirroring, 78, 79, 88, 410
 cache miss, 75
 cache vaulting, 78, 79, 86, 410

- call home, 166, 367, 393, 410
- capacity
 - data center elements, 12, 13
 - management, 375-376, 410
 - monitoring, 365, 370-371
 - planning, 13, 364, 377, 384
- CAS (content-addressed storage), 189-205, 412
 - architecture, 193-195
 - archives, 190-192
 - benefits/features, 192-193
 - Centera, 200-205
 - fixed content, 189, 190, 205, 412
 - object storage/retrieval, 196-198
- cascade/multi-hop replication, 318
- C-Clip Descriptor File (CDF), 196, 197
- CD-ROMs (compact disk read-only memory), 6, 8, 23, 26, 191
- CD-RW (compact disc rewritable), 26
- Celerra (EMC), 164-168
- Centera (EMC), 200-205
 - architecture, 201-203
 - models, 201
 - tools, 203-204
 - Universal Access, 204-205
- central processing units, 22
- channel directors, 91, 92, 93
- CHAP (Challenge-Handshake Authentication Protocol), 183, 343, 359, 411
- chargeback reports, 13, 377, 380-381, 388, 411
- CHS (cylinder-head-sector) addressing, 32, 210, 411
- CIFS (Common Internet File System), 158-159, 412
- CLARiiON CX4 storage array (EMC). *See also* Navisphere management software
 - architecture, 86-88
 - components, 88
 - features, 85-86
 - managing, 88-89
 - MirrorView, 329-330
 - SAN Copy, 325, 328-329
- CLARiiON Messaging Interface (CMI), 87, 88, 411
- client access functions, Data Mover, 165
- client-server model, SCSI, 108-109
- Clone, 302, 304
- clusters
 - control path, 220
 - PowerPath, 242
 - high availability, 235, 366, 411
- coarse wavelength division multiplexing (CWDM), 323, 324
- cold backup, 258
- cold site, 235
- command code field, 113
- command descriptor blocks (CDBs), 109, 112, 114, 177
- command queuing, 72-74
- command sequence number (CmdSN), 181, 182
- command-line interface (CLI), 88
- common command set (CCS), 105
- Common Information Model (CIM), 383, 384, 385
- Common Management Information Protocol (CMIP), 384
- compression, 254
- concatenation, 39, 40
- concurrent access, 327-328
- concurrent replicas, 301
- confidentiality service, 336. *See also* security
- connectivity
 - FC, 124-129
 - FICON, 91, 94, 131
 - gateway NAS, 156-157
 - host/storage device, 24-25
 - infrastructure integrity, 343
 - integrated NAS, 155-156
 - iSCSI, 174-176
- connectors, 123
- Connectrix connectivity products (EMC), 145-147
- Connectrix Directors, 146
- consolidation
 - server, 149, 217
 - storage
 - Connectrix Directors, 146
 - NAS, 149, 155
 - Rainfinity, 225
 - SANs, 118, 119, 124, 148, 348
- constructed full backup, 254, 255
- content address (CA), 189
- content authenticity, 192, 201, 412

- content integrity, 192, 253. *See also* data integrity; integrity
 - content protection mirrored (CPM), 202
 - content protection parity (CPP), 202
 - control arrays, 321
 - control devices, 321, 322
 - control field, 112, 114
 - control path cluster (CPC), 220, 221
 - control station (Celerra), 164, 166
 - control unit, 22
 - ControlCenter (EMC), 386-392
 - add-on products, 392
 - agents, 389-391
 - alerts, 391-392
 - architecture, 387-392
 - features/functionality, 386-387
 - infrastructure tier, 388-389
 - Performance Manager, 390-391
 - user interface tier, 387-388
 - controller card RAID, 52-53
 - controllers, 29-30
 - front-end, 72, 91
 - copy on first access (CoFA), 293, 294, 295, 298, 413
 - copy on first write (CoFW), 290, 296, 305, 413
 - core tier, 142
 - core-edge fabric topology, 142-144
 - corrective controls, 340
 - cross communication modules (XCMs), 92, 93
 - ctd addressing, 111
 - cumulative (differential) backup, 254, 255, 256
 - Customer Support Center (EMC), 92, 93, 204
 - cyclic redundancy check (CRC), 135
 - checksum, 136, 137
 - digest, 180
 - Ethernet, 180, 182
 - FC frame, 135
- D**
- DAS (direct-attached storage), 9, 10, 99-115.
 - See also* SANs; storage networking
 - benefits, 99, 101, 115
 - disk drive interfaces, 101-104
 - limitations, 101, 115
 - SANs *v.*, 118
 - storage networking *v.*, 101
 - types, 99-100
 - data, 5-8. *See also* information analysis, 7-8
 - availability. *See* availability; high availability
 - compression, 254. *See also* backups
 - digital, 5-6, 14, 413
 - encryption, 344
 - explosion, 3, 6, 14, 117
 - FC, structure/organization, 137
 - files, 41
 - fixed content. *See* fixed content information *v.*, 7
 - migrations. *See* migrations
 - replication. *See* local replication; remote replication
 - types, 7, 8
 - data access, 44-45
 - data access in real time (DART), 164, 166, 413
 - data center. *See also* storage infrastructure
 - core elements, 4, 10-13, 21
 - infrastructure, 10-14
 - Data Collection Policies (DCPs), 390, 413
 - data consistency, local replication, 285-288
 - data field, 135
 - data integrity. *See also* integrity
 - CAS, 192
 - CIFS, 159
 - CLARiiON, 86
 - data center elements, 12, 13
 - flash drives, 80
 - LUN masking, 81
 - virtualization, 225
 - Data Movers (Celerra), 164-166
 - data path controller (DPC), 220, 221
 - data redundancy. *See* RAID; redundancy
 - data sequence number, 182
 - data store, 74, 75, 169, 414
 - data transfer rate, 34
 - data vault, 235
 - database
 - as data center element, 4, 11
 - federated, 290, 312, 314, 417
 - RDBMS, 62, 377, 415
 - replication
 - local, 286-288
 - remote, 311, 313-314, 425
 - database backup agents, 258
 - database management system (DBMS), 7
 - dependent write I/O principle, 287
 - dedicated cache, 77

- defense in depth, 249, 339, 414
 - demilitarized zone (DMZ), 358
 - denial of service (DoS) attacks, 338, 339, 341, 343, 347, 414
 - dense wavelength division multiplexing (DWDM), 324, 414
 - departmental servers, 9
 - dependent write I/O principle, 287, 288
 - Destination ID, 135, 136
 - detective controls, 340
 - device drivers, 39
 - differential (cumulative) backup, 254, 255, 256
 - digest, 180, 196
 - digital data, 5-6, 14, 413
 - digital versatile disk read-only memory (DVD-ROMs), 6, 8, 23, 26
 - digital versatile disks or digital video discs (DVDs), 26
 - Direct Matrix Architecture (DMX), 93-95
 - direct-attached backup, 262
 - directors, 124, 145. *See also* Connectrix connectivity products
 - dirty bit flag, 74
 - dirty pages, 78, 417
 - disaster recovery. *See also* backups; local replication; remote replication
 - backups, 252, 257, 260-262
 - bare-metal recovery, 259
 - BC, 229, 233, 248
 - BURA security, 347-348
 - FCIP, 172
 - IP-SAN, 171
 - iSCSI, 183
 - NetWorker, 278-280
 - SAN, 148
 - SRDF, 326-327
 - three-site triangle/multitarget replication, 321
 - disaster recovery plan (DRP), 234, 415
 - disaster restart, 233, 415
 - discovery
 - iSCSI, 177-178
 - discretionary access control lists (DACLS), 354
 - discs/disk drives. *See* hard disk drives; magnetic storage; optical disk storage
 - Disk Array Enclosure (DAE), 86
 - disk arrays, 11, 53, 408. *See also* intelligent storage systems; RAID
 - disk failure, 51, 53, 55, 56, 59, 60, 62, 68
 - disk packs, 9
 - disk partitioning, 39, 40
 - disk performance, 33-34.
 - application requirements, 45-48
 - laws, 35-38
 - RAID impact, 66-68
 - disk response time, 36, 37, 38, 49
 - disk service time, 33-34, 46
 - disk-buffered remote replication, 317-318
 - DiskXtender, 279
 - distributed file system (DFS), 153, 222, 224, 415
 - Distributed Management Task Force (DMTF), 383, 384, 436
 - Domain Name System (DNS), 153, 415
 - Double Data Rate Synchronous Dynamic Random Access Memory (DDR SDRAM), 91
 - dual-core topology, 142, 143
 - dual-role nodes, 194
- E**
- eavesdropping, 338
 - edge tier, 142
 - EmailXtender, 278-279
 - EMC
 - Celerra, 164-168
 - Centera, 200-205
 - CLARiiON CX4 storage array, 85-89
 - Connectrix, 145-147
 - ControlCenter, 386-392
 - Customer Support Center, 92, 93, 204
 - Invista, 219-222
 - MirrorView, 329-330
 - Navisphere. *See* Navisphere management software
 - NetWorker, 276-280
 - PowerPath, 241-247
 - Rainfinity, 219, 222-225
 - SAN Copy, 325, 328-329
 - SnapSure, 305
 - SnapView, 301, 304-306
 - Symmetrix DMX-4 storage array, 84, 89-95, 304, 434
 - Symmetrix Remote Data Facility, 325-328, 432
 - TimeFinder, 301-304, 306
 - EMC Disk Library (EDL), 280
 - emulation engines, 275

- encryption
 - data, 344
 - storage network, 343
 - end-to-end credit (EE_Credit), 137-138
 - Engenuity, 95, 304, 434
 - Engenuity Consistency Assist (ECA), 304
 - Enterprise Content Management, 342
 - enterprise management platforms (EMPs), 385-386, 416
 - ESCON (Enterprise Storage Connection), 91, 94, 124, 131, 324, 326, 416. *See also* FICON
 - establish/restore operation, SRDF, 328
 - Ethernet
 - CRC, 180, 182
 - Gigabit, 19, 153, 186, 324
 - switches, 221
 - ETL (extract, transform, and load)
 - processes, 389
 - EXT 2/3 (extended file system), 41
 - Extended Unique Identifier (EUI), 179
 - external DAS architectures, 100
 - external transfer rate, 34
- F**
- fabric, 416. *See also* Fibre Channel
 - fabric binding, 352
 - fabric connect, 127. *See also* FC-SW
 - fabric login, 141
 - fabric topology, 142-144
 - fabric-wide access control, 351-352
 - failback operation, SRDF, 326-327
 - failover operation, SRDF, 326
 - failure analysis, 238-239
 - fan-in, 141
 - fan-out, 141
 - Fast Ethernet, 153, 164
 - Fast SCSI, 106
 - FAT 32 (File Allocation Table), 41
 - fatal alerts, 375
 - FC switches, 120, 121, 138-140
 - FC-0 physical interface, 133
 - FC-1 transmission protocol, 131
 - FC-2 transport layer, 133
 - FC-4 upper layer protocol, 132.
 - FCIP (Fibre Channel over IP), 120, 148, 172, 183-186
 - implementation, 173
 - performance/security, 185-186
 - topology, 184-185
 - FCoE (Fibre Channel over Ethernet), 186
 - FC-SW (Fibre Channel switched fabric), 127-129
 - federated databases, 290, 312, 314, 417
 - fiber optic cables, 122-123
 - Fibre Channel (FC), 9, 104, 118
 - addressing, 133-135
 - architecture, 131-140
 - classes of service, 138
 - connectivity, 124-129
 - data, structure/organization, 137
 - disks, 104
 - flash drives *v.*, 80
 - frames, 135-137
 - Gigabit, 104, 118, 131
 - login types, 141
 - overview, 118
 - ports, 129-130
 - protocol stack, 132
 - SAN, 118
 - switches, 120, 121, 138-140, 145
 - topologies, 141-145
 - Fibre Channel Association (FCA), 118
 - Fibre Channel Protocol (FCP), 106, 115, 131
 - Fibre Channel Security Protocol (FC-SP), 343, 348, 349
 - Fibre Channel Working Group (FCWG), 118
 - Fibre Distributed Data Interface (FDDI), 153
 - FICON (Fibre Connectivity), 91, 94, 131
 - FIFO (First In First Out), 73
 - files
 - stub, 200
 - swap/page, 208
 - file I/O, NAS, 151-153
 - file sharing, 152-153
 - NAS, 354-355
 - protocols, 157-159
 - remote, 152
 - file systems, 41-44, 152
 - accessing, 152
 - blocks, 42, 43
 - DFS, 153, 222, 224, 415
 - monitoring, 370-371
 - remote file sharing, 152
 - consistency, 285-286
 - snapshot, 290
 - management, 378-379
 - file-level access, 44, 45
 - file-level storage virtualization, 217-218
 - firewalls, 358

- fixed content
 - archives, 190, 407, 408
 - CAS, 189, 190, 205, 412
 - fixed pre-fetch, 75
 - FLARE storage operating environment, 88, 417
 - flash drives, 6, 26, 80, 86. *See also* solid-state drives
 - flow control
 - FC, 124, 133, 137-138
 - FCIP, 184
 - FL_port, 130
 - flushing, 78, 419, 422
 - forced flushing, 78, 417, 422
 - formatted disks, 30, 31
 - fracture log, 330
 - fracture operation, 329
 - frame header, 135, 136
 - frames
 - FC, 135-137
 - jumbo, 163
 - front end
 - intelligent storage system, 72-74
 - Invista, 219
 - Symmetrix DMX, 93
 - front-end controllers, 72, 91
 - front-end ports, 72
 - FTP (File Transfer Protocol), 149, 153, 164, 205, 358, 417. *See also* SSH
 - full backup, 254, 255, 256
 - full-volume mirroring, 291-292
- G**
- gateway NAS, 155
 - Gigabit Ethernet, 19, 153, 186, 324
 - Gigabit Fibre Channel (GFC), 104, 118, 131
 - global cache, 77, 84, 89, 91
 - Global File Virtualization (GFV)
 - appliance, 222, 223
 - global memory director (GMD), 91
 - Global Namespace Appliance (GNA), 224
 - Global Namespace Management, 224
 - Gold Copy, 298
 - group code field, 112, 113
 - GUI (graphical user interface), 88
- H**
- hard disk drives (HDDs), 6, 8, 23. *See also* disk performance; RAID
 - components, 27-30
 - failure, 51, 53, 55, 56, 59, 60, 62, 68
 - intelligent storage systems, 79-81
 - limitations, 35, 36, 37, 38, 51
 - maximum IOPs performed, 47
 - MTBF, 51
 - SLED, 51, 431
 - structure, 30-31, 48
 - hard zoning (port zoning), 140, 148, 350, 351, 418
 - hardware RAID, 52-53
 - hash output, 196
 - HBA (host bus adapter), 23
 - failure, 364, 369
 - head crash, 29
 - head disk assembly (HDA), 27, 28
 - head flying height, 29
 - hierarchical storage management (HSM), 200, 384, 418
 - high availability. *See also* availability
 - business continuity. *See* business continuity
 - Celerra, 164, 166, 168
 - clusters, 235, 366, 411
 - Connectrix switches, 146
 - enterprise directors, 146
 - LACP, 421
 - link aggregation, 163
 - NAS, 150, 151, 162, 163
 - RAID, 57, 59
 - SAN, 124
 - High Performance Parallel Interface (HIPPI), 124, 133, 418
 - high watermark (HWM), 78
 - high watermark flushing, 78
 - high-end intelligent storage systems
 - (active-active arrays), 82-83, 95. *See also* Symmetrix DMX-4 storage array
 - HIPAA (Health Insurance Portability and Accountability Act), 192, 199
 - hit ratio, 76
 - hosts, 22-23. *See also* servers
 - components
 - logical, 38-45
 - physical, 22-23
 - I/O devices, 22, 23
 - memory, 23
 - monitoring, 365-366
 - source/target, 309, 310. *See also* remote replication
 - storage device connectivity, 24-25
 - host bus adapters. *See* HBAs
 - host-based local replication, 241, 288-290

host-based log shipping, 313-314
 host-based remote replication, 241, 311-314
 hot backup, 258
 hot site, 235
 hot spares, 68
 hot-pluggable, 103
 HTTP (Hypertext Transfer Protocol), 204, 205, 358, 384
 hubs, 123, 124. *See also* switches

I

IDE/ATA (Integrated Device Electronics/Advanced Technology Attachment), 25, 101-102, 103, 420
 idle flushing, 78, 419, 422
 IDS/IPS (Intrusion Detection/Intrusion Prevention System), 340, 420
 IEEE 802.3ad, 164, 186
 IEEE EUI-64 naming standard, 179
 ILM. *See* information lifecycle management
 in-band virtualization, 212, 213, 214, 224
 incremental backup, 254, 255, 256
 information, 7-8. *See also* data
 information alerts, 374-375
 information availability (IA), 230-233, 363
 information lifecycle management (ILM), 4, 217. *See also* management
 benefits, 17-18
 implementation, 16-17
 key challenges, 14
 requirements, 117
 Information Rights Management (IRM), 342, 419
 information technology (IT), 4
 inodes, 41
 integrated NAS, 154-155
 integrity. *See also* data integrity
 archives, 191, 192
 connectivity infrastructure, 343
 content, 192, 253
 security, 335, 336
 integrity checking, 195, 420
 intelligent storage networking. *See* storage networking
 intelligent storage processors (SPs), 88, 433. *See also* CLARiiON CX4 storage array
 intelligent storage systems, 71-96. *See also* CLARiiON CX4 storage array; storage networking; Symmetrix DMX-4 storage array
 back end, 79
 benefits, 95
 cache. *See* cache
 components, 72-81
 disks, 79-81
 front end, 72-74
 high-end, 82-83, 95
 midrange, 83-84
 RAID, 69
 storage networking, 95
 interconnect devices, 123-124
 interconnect layer, 110, 111
 interface protocols, 21, 25. *See also* IDE/ATA; PCI; SCSI
 internal DAS architectures, 100
 internal storage, 9, 10
 internal transfer rate, 34
 International Committee for Information Technology Standards (INCITS), 118, 179
 Internet
 information, 3
 storage infrastructure security, 335. *See also* security
 interoperability
 FC switches, 148
 IP, 171. *See also* IP-SAN
 PowerPath, 242
 SAS, 104, 106, 115, 179
 SMI, 383-385, 392, 433
 storage infrastructure management, 382
 virtualization, 216
 Invista (EMC), 219-222
 I/O (input/output)
 buses, 25
 controller, 35
 dependent write, database replication, 287, 288
 devices, 22, 23
 NAS, 151-153, 159-160
 PowerPath, 243-244
 random, 46, 77, 427
 sequential, 60, 63, 64
 IOPS (I/Os per second), 46, 47, 48
 disk drive and maximum, 47
 RAID configuration, 67

- SCSI interface, 46
 - IP (Internet Protocol), 106, 120, 171, 420. *See also* FCIP; iSCSI; TCP/IP
 - IP packets, 180, 181
 - IP-SAN (Internet Protocol SAN), 9, 10, 171-187
 - security, 359-360
 - IPSec (Internet Protocol Security), 183, 186, 343, 350, 420
 - iSCSI, 106, 120, 148, 172, 173-183, 186
 - components, 173-174
 - connectivity, topologies, 175-176
 - discovery, 177-178
 - error handling, 182-183
 - host connectivity, 174
 - implementation, 173
 - names, 178-179
 - ordering/numbering, 181-182
 - PDU, 180-181
 - protocol stack, 176-177
 - security, 182-183
 - session, 179-180
 - iSCSI Qualified Names (IQNs), 179
 - iSNS (internet Storage Name Service), 177-178, 420, 432
- J**
- JBOD (Just a Bunch of Disks), 10, 400. *See also* RAID
 - journaling file systems, 44
 - jukeboxes, 26, 421
 - jumbo frames, 163
- K**
- KDC (Key Distribution Center), 356, 357, 421
 - Kerberos, 183, 353, 355, 356-357, 421
- L**
- L1 (level 1) cache, 22
 - LAN-based backups, 263
 - landing zone, 29
 - LAN-free backups, 264, 265
 - LAN (local area network), 9. *See also* VLAN
 - LBA (logical block addressing), 32, 45, 205, 210, 422
 - LDAP (Lightweight Directory Access Protocol), 153, 161, 222, 224, 346, 355, 421
 - Least Recently Used (LRU), 77, 78, 421
 - link aggregation, 163
 - Link Control Card (LCC), 86, 88, 421
 - Little's Law, 35
 - load-balancing policies, PowerPath, 242-244
 - local replication, 283-307
 - data consistency, 285-288
 - host-based, 241, 288-290
 - management software interface, 301
 - restore/startup considerations, 297-300
 - SnapView, 301, 304-306
 - source/target LUNs, 284
 - storage array-based, 241, 290-297
 - technologies, 288-298
 - TimeFinder, 301-304
 - log shipping, 313-314
 - logical arrays, 53
 - logical extents, 42, 43
 - logical volumes. 39, 40, 41, 53, 80
 - loops, public/private, 130
 - low watermark (LWM), 78
 - low-voltage differential signaling (LVDS), 102
 - LRU (Least Recently Used), 77, 78, 421
 - Lucent connector, 123
 - LUN binding, 422
 - LUN masking, 81, 140, 343, 351, 392, 422. *See also* zoning
 - LUN trespassing, 247
 - LUN (logical unit number), 80-81
 - LVM mirroring, 289
 - LVM-based local replication, 289-290
 - LVM-based remote replication, 311-312
 - LVM (logical volume manager), 40-41, 288
- M**
- MAC (Media Access Control), 135, 164, 186, 344, 423
 - magnetic storage, 23, 26, 27, 48, 189. *See also*
 - hard disk drives; tape drives
 - floppy disk drives, 23, 102
 - magnetic tapes. *See* tapes
 - management (storage infrastructure), 13-14, 363-393. *See also* monitoring
 - automation, 13
 - availability, 375
 - capacity, 375-376, 410
 - challenges, 382
 - ControlCenter, 386-392

- data center elements, 13
 - EMP, 385-386
 - ideal solution, 382-386
 - Navisphere Manager, 89, 386, 424
 - performance, 376
 - reporting, 13, 376-377
 - security, 376
 - SMI, 383-385
 - virtualized environment, 215
 - management access domain, 344-347
 - management software. *See also* Navisphere management software
 - Celerra, 168
 - local replication, 301
 - SAN, 124-125
 - MD5 (Message-Digest algorithm), 344, 359
 - Mean Time Between Failure (MTBF)
 - HDD, 51
 - Mean Time To Repair (MTTR), 231, 232
 - memory. *See also* cache; RAM
 - DDR SDRAM, 91
 - flash, 26, 80. *See also* flash drives
 - global, Symmetrix, 93, 94
 - ROM, 23
 - semiconductor, 23, 74, 80, 410
 - virtual, 208
 - mesh topology, 144-145
 - metadata, 31, 41
 - meta-LUN, 81
 - mezzanine cards, 144
 - midrange intelligent storage systems
 - (active-passive arrays), 83-84. *See also* CLARiiON CX4 storage array
 - migrations, data
 - GNA, 224
 - HSM, 190
 - local replication and, 285
 - Rainfinity, 223
 - remote replication, 331
 - SAN-based remote replication, 321
 - SRDF/Data Mobility, 432
 - storage virtualization, 210, 216, 217
 - mirroring, 55-56
 - full volume, 291-292
 - LVM, 289
 - TimeFinder/Mirror and, 302-304
 - MirrorView (EMC), 329-330
 - mixed backup topology (SAN/LAN-based), 264, 265
 - mixed zoning, 140. *See also* hard zoning;
 - WWN zoning
 - modal dispersion, 122
 - modification attacks, 338
 - monitoring, 364-375. *See also* management
 - accessibility, 364-365, 368-370
 - alerts, 374-375
 - capacity, 365, 370-371
 - file system, 370-371
 - hosts, 365-366
 - management, 363
 - performance, 365, 372-373
 - security, 365
 - storage arrays, 367
 - storage networks, 366-367
 - MRU (Most Recently Used), 78, 423
 - MTBF. *See* Mean Time Between Failure
 - MTU (Maximum Transmission Unit), 162, 163, 423
 - Multi-mode fiber (MMF), 122, 123, 424
 - multipathing, 424
 - multipathing software, 174, 187, 240. *See also* ECA; PowerPath
 - multitarget/triangle replication, 320-321
- ## N
- naming service protocol, 153
 - NAS (network-attached storage), 9, 10, 149-169
 - authentication/authorization, 355-357
 - backups, 265-269
 - benefits, 150-151
 - components, 153-154
 - file I/O, 151-153
 - file sharing, 354-355
 - file-sharing protocols, 157-159
 - gateway, 155
 - general-purpose servers *v.*, 150
 - integrated, 154-155
 - I/O operations, 159-160
 - network-layer firewalls, 358
 - NFS, 149, 153, 154, 157, 159, 160, 161
 - SAN, convergence, 9, 148, 168. *See also* IP-SANs
 - security, 353-358
 - storage consolidation, 149, 155
 - native iSCSI, 175, 176
 - Naviseccli, 88, 424
 - Navisphere management software (EMC), 89

Navisphere Agent, 89
 Navisphere Analyzer, 89, 386, 424
 Navisphere Manager, 89, 386, 424
 Navisphere Simulator, 96
 nearline archives, 191
 nested RAID, 59, 60
 network bandwidth requirement
 asynchronous replication, 316
 synchronous replication, 315
 Network Data Management Protocol, 164, 266, 267-269
 Network Time Protocol (NTP), 346, 424
 network virtualization, 208-209
 NetWorker (EMC), 276-280
 network-layer firewalls, 358
 NFS (Network File System). *See also*
 NAS
 security, 355, 356
 NIC (network interface cards), 23
 NIS (Network Information Services), 153, 161, 222, 224, 355, 356, 424
 NL_port, 129
 FC address, 134
 node ports, 120, 122
 nodes, CAS, 194
 non-intelligent internal storage, 9, 10. *See also*
 intelligent storage systems
 nonjournaling file systems, 43-44
 Normal Auto Contingent Allegiance (NACA), 114, 425
 NPIV (N_port ID virtualization), 134
 N_port, 129
 N_port ID virtualization (NPIV), 134
 NS series, Celerra, 167-168
 NSX system, 168
 NTFS (NT file system), 41, 279
 NTP (Network Time Protocol), 346, 424

O

object storage/retrieval, CAS, 196-198
 object-based system, 189. *See also* CAS
 object-level access, 45
 offline archives, 191
 online archives, 191
 online transaction processing (OLTP), 59, 190, 425
 open file agents, 258
 Open System Interconnection (OSI)
 model, 110, 177

open systems, 9
 Open Tape Format (OTF), 277
 operating systems. *See also* Linux; UNIX
 as data center element, 4, 11
 FLARE, 88, 417
 operation codes, 112-113
 operational backups, 252
 optical disc drive (ODD), 425
 optical disk storage, 23, 189
 archives, 191
 CAS, 192.
 CD-ROM, 6, 8, 23
 WORM device, 26, 191
 CD-RW, 26
 DVD-ROM, 6, 8, 23, 26
 DVD, 26
 jukeboxes, 26, 421
 uses for, 26
 WORM, 436
 optical fiber cabling, 122-123
 optical network technologies, 323-325
 order processing system (example), 10, 11
 organic regeneration process, Centera, 202
 Originating Exchange ID, 135, 136
 outages, planned/unplanned, 230, 231
 out-of-band virtualization, 212, 213, 214, 224

P

packets, IP, 180, 181
 paging, 208
 PAgP (Port Aggregation Protocol), 164
 parallel SCSI, 105, 106. *See also* SCSI
 parallel transmission, 24
 parity, 56-57
 parity RAID, 56, 57, 61
 passive attacks, 338
 path failover, PowerPath, 242, 244-247
 PCI Express, 25
 penalty, write, 66, 67
 Performance Manager, 390-391
 peripheral component interconnect (PCI), 25
 permissions, UNIX, 354-355
 persistent port disable, 351
 Physical Address, Arbitrated Loop, 126, 134
 physical arrays, 53
 physical extents, 40, 42, 43
 physical interface, FC-0, 133

physical journal, 44
 physical layer interconnects, 107
 physical tape libraries, 270-272
 physical volumes, 40
 planned outages, 230, 231
 platters, 28, 29, 426
 PLOGI (port login), 141
 pointer-based full-volume replication, 293-295
 pointer-based virtual replication, 295-297
 point-in-time (PIT) copy method, 258
 point-to-point (FC connectivity), 125
 policy-based ILM, 15
 ports, 23, 24
 FC, 129-130
 front-end, 72
 node, 120, 122
 SCSI, 109-110
 storage array
 failure, 368, 369
 monitoring, 372
 Port Aggregation Protocol (PAgP), 164
 port binding, 351
 port lockdown, 351
 port lockout, 351
 port login (PLOGI), 141
 port zoning. *See* hard zoning
 PowerPath (EMC), 241-247
 I/O operations, 243-244
 load-balancing policies, 242-244
 pre-fetch, 75
 preventive controls, 340
 Priority-Based policy, 243
 private loop, 130
 process login (PRLI), 141
 production data, 258
 production host, 284
 protection bitmap, 323
 Protocol Data Units (PDUs), 180-181
 protocol stack
 Fibre Channel, 132
 iSCSI, 176-177
 provisioning, 13
 public loop, 130
 pull operation, 322
 push operation, 322

Q

queue, 35

R

RAID (redundant array of independent disks), 9, 10, 52-69. *See also* intelligent storage systems
 arrays, 53
 configurations
 IOPS, 67
 RAID 0, 57, 58, 64
 RAID 0+1, 59-60, 64
 RAID 1, 57-58, 64
 RAID 1+0, 59-60, 66
 RAID 3, 59, 61, 64
 RAID 4, 61, 64
 RAID 5, 62, 66
 RAID 6, 62-63, 66
 disk load, 67
 disk performance impacted, 66-68
 hardware, 52-53
 hot spares, 68
 intelligent storage systems, 69
 levels, 54-62
 nested, 59, 60
 parity, 56, 57, 61
 redefining, 52
 redundancy, 55, 59, 68
 set (group), 53
 software, 52
 striped, 54, 55
 Rainfinity (EMC), 219, 222-225, 225
 RAM (random access memory), 23
 page files/swap space, 208
 tag, 74, 75, 434
 random I/O, 46, 77, 427
 RBAC (role-based access control), 343, 346, 351
 RDBMS (relational database management system), 62, 377, 415
 read cache hit, 75
 read hit ratio, 76
 read miss, 76
 read operation, 34
 cache, 75-76
 read-ahead, 75
 read/write (R/W) heads, 28-29
 record-level protection/disposition, 193
 recoverability, 283, 428
 recovery-point objective (RPO), 233-234, 428
 recovery-time objective (RTO), 234-235, 428
 redundancy
 cyclic. *See* cyclic redundancy check

- fault tolerance, 228-239
 - RAID, 55, 59, 68. *See also* RAID
 - Redundant Array of Independent Nodes (RAIN), 194, 201, 428
 - regional disasters, remote replication, 309, 318, 319
 - relational database management system (RDBMS), 62, 377, 415
 - reliability, 230
 - remote arrays, 321
 - Remote Authentication Dial-in User Service (RADIUS), 350, 361, 428
 - remote devices, 321, 322
 - Remote Procedure Call (RPC), 158, 428
 - remote replicas, 309, 429
 - remote replication, 309-331
 - asynchronous, 310
 - disk-buffered, 317-318
 - host-based, 241, 311-314
 - LVM-based, 311-312
 - network infrastructure, 323-325
 - optical network technologies, 323-325
 - regional disasters, 308, 318, 319
 - SAN-based, 321-323
 - SRDF, 325-328
 - storage array-based, 241, 314-321
 - synchronous, 309-310
 - synchronous + asynchronous, 319
 - technologies, 311-323
 - three-site, 318-321
 - replicas. *See also* local replicas; remote replicas
 - concurrent, 301
 - recoverability, 283, 428
 - replication. *See also* local replication; remote replication
 - cascade/multi-hop, 318
 - database, 311, 313-314, 425
 - three-site, 318-321
 - triangle/multitarget, 320-321
 - reporting, 13, 376-377
 - Repository, 388
 - repudiation, 338
 - request-to-transfer, 182
 - resilience, 117
 - Resource Manager, 392
 - resource planning, 13
 - Responder Exchange ID, 135, 136
 - response time, disk, 36, 37, 38, 49
 - restart
 - disaster, 233, 415
 - local replication, 297-300
 - restartability, 283, 429
 - restore. *See also* backups; local replication; remote replication
 - backup, 260-262
 - local replication, 297-300
 - restore/establish operation, SRDF, 328
 - resynchronization bitmap, 323
 - retention enforcement, 193
 - risk triad, 336-340
 - robotic arms, 270, 271, 272, 274, 384, 429
 - role-based access control (RBAC), 343, 346, 351
 - ROM (read-only memory), 23
 - root directory, 43
 - rotational latency, 33-34
 - Round-Robin policy, 242
 - routers
 - FCIP, 184, 186
 - IP, 346
 - iSCSI, 174, 175
 - multiprotocol, 10, 145, 146
 - network virtualization, 208
 - overutilized, 161
 - RSCNs (Registered State Change Notifications), 185, 352, 402, 428
 - R/W heads. *See* read/write heads
- S**
- SACLs (system access control lists), 354
 - SAL (SCSI application layer), 110, 430
 - SAM-3 (SCSI Architecture Model-3), 107, 110
 - SAN Advisor, 392
 - SAN Copy (EMC), 325, 328-329
 - SAN Manager, 392
 - SAN-based backups, 264
 - SAN-based remote replication, 321-323
 - SAN (storage area network), 9, 10, 116-147.
 - See also* Fibre Channel; IP-SAN
 - components, 120-125
 - evolution, 119-120, 121
 - FC technology, 118
 - interconnect devices, 123-124
 - IP technology, 148
 - management, SMI-S, 385
 - management software, 124

- NAS, convergence, 9, 148, 168
 - security, 348-353
 - storage consolidation, 118, 119, 124, 148, 348
 - virtual, 209, 352, 353
- SAS (Serial Attached SCSI), 104, 106, 115, 179
- SASI (Shugart Associate System Interface), 104
- SATA (serial ATA), 102-103, 430
- save sets, 277
- SC (Standard connector), 123
- scalability
 - data center elements, 12
 - storage virtualization, 215
- SCN (state change notifications), 360, 432
- SCSI (Small Computer System Interface), 25, 104-115. *See also* iSCSI
 - command model, 112-114
 - communication model, 110-111
 - IDE/ATA *v.*, 103
 - initiator device, 108, 109, 110
 - parallel, 105, 106
 - ports, 109-110
 - Serial Attached, 104, 106, 115, 179
 - status byte codes, 114
 - target device, 108, 109, 110
 - Ultra, 106, 118
- SCSI addressing, 111
- SCSI application layer (SAL), 110, 430
- SCSI Architecture Model-3 (SAM-3), 107, 110
- SCSI Initiator-Target communication, 111
- SCSI interconnect layer, 110, 111
- SCSI interfaces, 105-106
- SCSI parallel interface (SPI), 105, 106
- SCSI transport protocol layer (STPL), 111, 430
- SCSI-3 architecture, 105, 106, 107-111
- SCSI-3 client-server model, 108-109
- SCSI-3 command protocol, 107
- SDH (synchronous digital hierarchy), 324, 434. *See also* SONET
- sectors, 30, 31
- Secure Sockets Layer (SSL) protocol, 277, 345, 430
- security (storage infrastructure), 335-361
 - access control, 342-343, 407
 - authentication. *See* authentication BURA, 347-348
 - FCIP, 185-186
 - framework, 335-336
 - integrity, 335, 336
 - IP-SAN, 359-360
 - iSCSI, 182-183
 - management, 376
 - monitoring, 365, 373-374. *See also* monitoring
 - NAS, 353-358
 - risk triad, 336-340
 - SAN, 348-353
 - storage networking, 348-360
- security domains, 340-348
 - application access, 341-344
 - management access, 344-347
- Security ID translator, 223
- Security Information Management (SIM), 346
- security zones, protection strategies, 350
- seek time (access time), 33, 46, 47, 49, 430
- seek time optimization, 73, 74, 430
- semiconductor memory, 23, 74, 80, 410.
 - See also* cache
- SendTargets discovery, 177, 178
- Sequence ID, 135, 136
- sequential I/O, RAID, 60, 63, 64
- serial transmission, 24
- servers. *See also* hosts
 - ControlCenter, 388
 - general-purpose, NAS devices *v.*, 150
 - hosts, 119
 - performance, monitoring, 373
- server clusters. *See* clusters
- server consolidation, 149, 217
- server virtualization, 209-210
- serverless backup, 265, 266, 267
- service time. *See* disk service time
- service-level agreements (SLAs), 191
- SFP (Small Form-factor Pluggable), 123
- SHA-256, 344, 361
- sharing. *See* file sharing
- shoe shining effect, 271
- single large expensive drives (SLEDs), 51, 431
- single point of failure, 238, 239
- single-core topology, 142
- single-instance storage (SiS), 189, 193, 201, 205, 431
- single-level cells (SLCs), 80, 431

- single-mode fibers (SMFs), 122, 123, 431
- SiS. *See* single-instance storage
- SMI (Storage Management Initiative), 383-385, 392, 433
- SMI-S (SMI Specification), 383-385, 392, 393
- snapshot, 431
 - array-based, NetWorker, 276
 - file system, 290
 - SnapView, 305
 - TimeFinder/FS, 306
- SnapSure (EMC), 305
- SnapView (EMC), 301, 304-306
- SNMP (Simple Network Management Protocol), 147, 195, 382, 383, 384, 392, 431
- snooping, 338
- soft zoning (WWN zoning), 140, 431
- software RAID, 52
- solid-state drives (SSDs)
 - flash memory card, 26
 - SLCs, 431
 - Symmetrix, 89
- SONET (synchronous optical network), 324-325, 434
- source hosts, 309, 310. *See also* remote replication
- Source ID, 135, 136
- sources (LUN), 284
- SPI (SCSI parallel interface), 105, 106
- spindles, 28
- split operation, SRDF, 327
- spoofing, 341, 342, 345, 351, 432
- SRDF (Symmetrix Remote Data Facility), 325-328
 - concurrent access, 327-328
 - disaster recovery, 326-327
 - family/technology solutions, 325
- SRDF/Asynchronous, 325, 432
- SRDF/Automated Replication, 325, 432
- SRDF/Cluster Enabler, 432
- SRDF/Consistency Groups, 432
- SRDF/Data Mobility, 432
- SRDF/Star, 432
- SRDF/Synchronous, 325, 432
- SRM (Storage Resource Management)
 - Tool, 388, 390
- SSH (Secure Shell)
 - Telnet, 88, 147
- SSL (Secure Sockets Layer) protocol, 277, 345, 430
- ST (Straight Tip) connectors, 123
- standby power supply (SPS), 87, 88, 432
- start of frame, 135
- status byte codes, 114
- status sequence number (StatSN), 181, 182
- storage. *See also* EMC; storage devices; storage infrastructure
 - architectures, evolution, 9-10
 - infrastructure. *See* storage infrastructure
 - intelligent. *See* intelligent storage systems
 - internal (non-intelligent), 9, 10
 - magnetic. *See* magnetic storage
 - networking. *See* storage networking
 - optical. *See* optical disk storage
 - security. *See* security
 - virtualization, 210-225
- storage arrays, 11, 53, 408. *See also* intelligent storage systems; RAID
 - control, 321
 - monitoring, 367
 - ports
 - failure, 368, 369
 - monitoring, 372
 - remote, 321
 - SAN, 124
- storage array-based local replication, 241, 290-297
- storage array-based remote replication, 241, 314-321
- storage consolidation. *See* consolidation
- storage devices, 6, 8, 23
- storage infrastructure, 10-14. *See also* management; security
 - core elements, 4, 10-13, 21
 - key requirements, 11-13, 117
 - managing, 13-14, 363-393
 - monitoring. *See* monitoring
 - securing, 335-361
- storage network encryption, 343
- storage networking, 95. *See also* CAS; DAS; IP-SAN; SAN; virtualization
 - DAS *v.*, 101
 - ILM, 16, 17
 - intelligent, 9, 10
 - intelligent storage systems, 95
 - monitoring, 366-367
 - security implementations, 348-360
- Storage Networking Industry Association (SNIA), 433

- shared storage model, 50
- storage virtualization taxonomy, 212-213
- storage nodes, 194
- storage processors (SPs), 88, 433. *See also*
 - CLARiiON CX4 storage array
- Storage Resource Management (SRM)
 - Tool, 388, 390
- storage system environment, 21-50. *See also*
 - hosts; storage devices
 - components, 21-27
 - connectivity, 24-25
 - hosts, 22-23
 - storage devices, 21, 26-27, 48
- storage virtualization, 210-225. *See also*
 - virtualization
 - block-level, 212, 216-217
 - file-level, 217-218
 - Invista, 219-222
- StorageScope console, 387-388
- StorageScope Repository, 388-389
- Store, 388
- storing/retrieving objects, CAS, 196-198
- STPL (SCSI transport protocol layer), 111, 430
- streaming, tape drive, 271
- strip size, 55
- stripe depth, 55
- stripe width, 55
- striped mirror, 59
- striped RAID, 54, 55
- stripes, 54
- strips, 54
- structured data, 7, 8, 433
- stub file, 200
- swap files, 208
- switches, 123
 - Connectrix, 146
 - directors *v.*, 124
 - Ethernet, 221
 - FC, 120, 121, 138-140, 145
 - hubs *v.*, 123, 124
- switching, 434
- switch-wide access control, 351-352
- Symmetrix DMX-4 storage array (EMC), 84, 89-95
 - Direct Matrix Architecture, 93-95
 - Engenuity, 95, 304, 434
- Symmetrix global memory, 93, 94
- sync daemon, 285, 286

- synchronous + asynchronous remote replication technologies, 319
- synchronous + disk-buffered remote replication technologies, 319-320
- synchronous digital hierarchy (SDH), 324, 434
- synchronous optical network (SONET), 324-325, 434
- synchronous remote replication, 309-310
- synthetic full backup, 254, 255
- system access control lists (SACLs), 354

T

- tag RAM, 74, 75, 434
- tape drive streaming, 271
- tape drives, 8, 9, 23, 26
- tape libraries
 - physical, 270-272
 - robotic arms, 270, 271, 272, 274, 384, 429
 - virtual, 273-275
- tapes (magnetic), 270, 422, 434
 - backups, 269-270
 - mounting, 270
- target device, SCSI, 108, 109, 110
- target hosts, 309, 310. *See also* remote replication
- targets (LUN), 284
- task manager, 108
- TCP window size, 163
- TCP/IP
 - CIFS, 158
 - FCIP, 172, 183
 - iSCSI, 173, 174, 177
 - MirrorView, 329
 - NAS, 115, 149, 159, 160
 - SMI-S, 385
- TCP/IP Offload Engine (TOE) card, 174, 434
- Telnet, 88, 147. *See also* SSH
- three-site replication, 318-321
- Ticket Granting Service (TGS), 356
- Ticket Granting Ticket (TGT), 356, 357
- tiered storage, 16
- TimeFinder (EMC), 301-304, 306
- TimeFinder/Clone, 302
- TimeFinder/FS, 306
- TimeFinder/Mirror, 302-304
- total cost of ownership (TCO), 17, 171, 404, 434
- tracks, 30

tracks per inch (TPI), 30
 transmission
 parallel/serial, 24
 transmission protocol, FC-1, 133
 transport layer, FC-2, 133
 transport layer protocols, 107
 Transport Layer Security (TLS), 345
 triangle/multitarget replication, 320-321

U

UDP (User Datagram Protocol), 158, 435
 Ultra DMA/133, 102
 Ultra SCSI, 106, 118
UltraFlex technology, 86
 unplanned outages, 230, 231
 unstructured data, 7, 8, 435
 upper layer protocols (ULPs), 124, 132, 136, 137, 141, 435
 USB (Universal Serial Bus), 6
 User Datagram Protocol (UDP), 158, 435
 utilization law, 35-36, 37, 38

V

variable pre-fetch, 75
 virtual Data Movers, 165
 virtual initiators, 175
 virtual machines, 209
 virtual memory, 208
 virtual memory manager (VMM), 208
 virtual replication, pointer-based, 295-297
 virtual robotic arm, 274
 virtual tape librerie (VTL), 273-275
 virtualization, 207-226
 forms of, 207-211
 in-band, 212, 213, 214, 224
 memory, 208
 network, 208-209
 NPIV, 134
 out-of-band, 212, 213, 214, 224
 storage, 210-225
 virtuous cycle of information, 3, 4. *See also*
 information lifecycle
 VLAN (virtual LAN), 162, 208-209, 223, 224, 435

volume group, 40
 volume manager, 39-41
 VSAN (virtual SAN), 209, 352, 353
 vulnerabilities (risk triad), 336, 339-340

W

WAN (wide area network), 9
 warning alerts, 375
 watermarks, 78
 Web console, 387
 Web-Based Enterprise Management (WBEM), 383, 384, 385, 436
 wide area network (WAN), 9
 work factor, 339
 World Wide Node Name (WWNN), 135, 141, 436
 WORM (write once read many), 26, 191, 436
 write aside size, 77
 write intent log, 330
 write operation, 34
 cache, 76-77
 write penalty, 66, 67
 write-back cache, 76-77
 write-through cache, 77
 WWN (World Wide Name), 135, 179, 343, 367, 436
 WWN zoning (soft zoning), 140, 431

X

XCM (cross communication module), 92, 93
 XML (Extensible Markup Language), 196, 384, 385, 412

Z

zoned bit recording, 31, 32
 zoning, 124, 343
 FC switches, 138-140
 hard/port, 140, 148, 350, 351, 418
 LUN masking *v.*, 140, 147, 166, 343, 351, 376
 SAN, 124
 soft (WWN), 140, 431