

Index

- accuracy
 - of Gauss's Method, 66–70
 - rounding error, 68
- adding rows, 5
- addition of vectors, 17, 37, 78
- additive inverse, 78
- adjacency matrix, 242
- adjoint matrix, 354
- angle, 45
- antipodal points, 372
- antisymmetric matrix, 142
- argument, of a function, A-7
- arrow diagram, 228, 245, 252, 257, 386
- augmented matrix, 15
- automorphism, 169
 - dilation, 169
 - reflection, 170
 - rotation, 170
- back-substitution, 5
- base step, of induction proof, A-3
- basis, 114–126
 - change of, 252
 - definition, 114
 - orthogonal, 270
 - orthogonalization, 271
 - orthonormal, 272
 - standard, 115, 385
 - string, 410
- bean diagram, A-7
- best fit line, 284
- block matrix, 334
- box, 344
 - orientation, 346
 - sense, 346
 - volume, 346
- C language, 66
- canonical form
 - for matrix equivalence, 260
 - for nilpotent matrices, 413
 - for row equivalence, 60
 - for similarity, 435
- canonical representative, A-11
- Cauchy-Schwarz Inequality, 45
- Cayley-Hamilton theorem, 422
- central projection, 369
- change of basis, 252–263
- characteristic
 - equation, 397
 - polynomial, 397
 - satisfied by, 424
 - root, 402
 - vectors, values, 393
- characterize, 176
- characterizes, 261
- Chemistry problem, 1, 10, 24
- Chiò's method, 363–367
- circuits
 - parallel, 72
 - series, 72
 - series-parallel, 73
- class
 - equivalence, A-11
 - representative, A-11
- closure, 94
 - of null space, 406
 - of range space, 406

- codomain, A-7
- cofactor, 352
- column, 15
 - rank, 128
 - full, 134
 - space, 128
 - vector, 16
- combining rows, 5
- complement, A-6
- complementary subspaces, 139
 - orthogonal, 277
- complete equation, 156
- complex numbers, 384
 - vector space over, 89, 382
- component of a vector, 16
- composition, A-7
 - self, 403
- computer algebra systems, 64–65
- concatenation of sequences, 137
- conditioning number, 69
- congruent plane figures, 308
- constant polynomial, 382
- contradiction, A-4
- contrapositive, A-2
- convex set, 190
- coordinates
 - homogeneous, 371
 - with respect to a basis, 117
- correspondence, 167, A-9
- coset, 201
- Cramer's rule, 357–359
- cross product, 320
- crystals, 146–149
 - unit cell, 147
- da Vinci, Leonardo, 368
- degree of a polynomial, 382
- Desargue's Theorem, 375
- determinant, 316, 321–343
 - Cramer's rule, 358
 - definition, 322
 - exists, 332, 338
 - Laplace expansion, 353
 - minor, 352
 - permutation expansion, 331, 335, 360
 - using cofactors, 352
- diagonal matrix, 220, 238
- diagonalizable, 389–393
- diamond, 148
- dilation, 169, 291
 - representing, 212
- dimension, 123
- dimensional
 - constant, 156
 - formula, 156
- direct map, 312
- direct sum, 134–143
 - definition, 139
 - external, 175
 - internal, 175
 - of two subspaces, 139
- direction vector, 38
- distance-preserving map, 308
- division theorem, 382
- domain, A-7
- dot product, 43
- double precision, 68
- dual space, 202
- Duality Principle, of projective geometry, 374
- echelon form, 6
 - free variable, 13
 - leading entry, 15
 - leading variable, 6
 - matrix, 15
 - reduced, 51
- eigenspace, 397
- eigenvalue, eigenvector
 - of a matrix, 394
 - of a transformation, 393
- element, A-5
- elementary matrix, 239
- elementary reduction matrix, 239, 290
- elementary reduction operations, 5
 - rescaling, 5
 - row combination, 5
 - swapping, 5
 - by matrix multiplication, 240
- elementary row operations, 5
 - by matrix multiplication, 240
- elimination, Gaussian, 3

- empty set, A-5
- entry, matrix, 15
- equivalence, A-9
 - class, A-11
 - canonical representative, A-11
 - relation, A-9
 - representative, A-11
- equivalence relation, A-9
 - isomorphism, 176
 - matrix equivalence, 259
 - matrix similarity, 386
 - row equivalence, 53
- equivalent statements, A-2
- Erlanger Program, 309
- Euclid, 308
- even functions, 98, 141
- even polynomials, 441
- extended, linearly, 186
- external direct sum, 175

- factor, 383
- field, 144–145
 - definition, 144
- finite-dimensional vector space, 121
- flat, k -flat, 39
- free variable, 13
- full column rank, 134
- full row rank, 134
- function, A-7
 - inverse image, 193
 - argument, A-7
 - bean diagram, A-7
 - codomain, A-7
 - composition, 228, A-7
 - correspondence, A-9
 - distance-preserving, 308
 - domain, A-7
 - even, 98
 - extended linearly, 186
 - identity, A-7
 - image, A-7
 - inverse, 244, A-8
 - left inverse, 244
 - multilinear, 327
 - odd, 98
 - one-to-one, A-8
 - onto, A-8
 - range, A-7
 - restriction, A-9
 - right inverse, 244
 - structure preserving, 167, 171
 - see* homomorphism 183
 - two-sided inverse, 244
 - value, A-7
 - well-defined, A-7
 - zero, 184
- Fundamental Theorem
 - of Algebra, 384
 - of Linear Algebra, 282

- Gauss's Method, 3
 - accuracy, 66–70
 - back-substitution, 5
 - by matrix multiplication, 240
 - elementary operations, 5
 - Gauss-Jordan, 51
 - Gauss-Jordan Method, 51
- Gaussian elimination, 3
- generalized null space, 406
- generalized range space, 406
- Geometry of Linear Maps, 289–295
- Google matrix, 450
- Gram-Schmidt process, 269–274
- graphite, 147

- historyless process, 303
- homogeneous coordinate vector, 371
- homogeneous coordinates, 313
- homogeneous equation, 23
- homomorphism, 183
 - composition, 228
 - matrix representing, 203–213, 215
 - nonsingular, 217, 218
 - null space, 196
 - nullity, 196
 - range space, 192
 - rank, 216
 - singular, 217
 - zero, 184
- hyperplane, 39

- ideal

- line, 374
- point, 374
- identity
 - function, A-7
 - matrix, 237
- if-then statement, A-2
- ill-conditioned problem, 67
- image, under a function, A-7
- improper subspace, 91
- index of nilpotency, 409
- induction, 25, A-3
 - inductive hypothesis, A-4
- induction, mathematical, A-3
- inductive hypothesis, A-4
- inductive step, of induction proof, A-3
- inherited operations, 80
- inner product, 43
- internal direct sum, 139, 175
- intersection, of sets, A-6
- invariant subspace, 417, 431
- inverse, 245, A-8
 - additive, 78
 - exists, 245
 - function, A-8
 - left, A-8
 - right, A-8
 - left, 245, A-8
 - matrix, 354
 - right, 245, A-8
 - two-sided, A-8
- inverse function, 244, A-8
- inverse image, 193
- inversion, 336, A-8
- irreducible polynomial, 383
- isometry, 308
- isomorphism, 165–182
 - classes characterized by dimension, 176
 - definition, 167
 - of a space with itself, 169
- Jordan block, 430
- Jordan form, 419–441
 - represents similarity classes, 435
- kernel, of linear map, 196
- Kirchhoff's Laws, 72
- Klein, F., 308
- Laplace determinant expansion, 351–356
- Last Supper*, 368
- leading
 - entry, 15
 - variable, 6
- least squares, 283–288
- left inverse, A-8
- length of a vector, 42
- line, 37
 - best fit, 284
 - in projective plane, 373
- line at infinity, 374
- line of best fit, 283–288
- linear combination, 2
- Linear Combination Lemma, 56
- linear elimination, 3
- linear equation, 2
 - coefficients, 2
 - constant, 2
 - homogeneous, 23
 - inconsistent systems, 283
 - satisfied by a vector, 16
 - solution of, 2
 - Cramer's rule, 358
 - Gauss's Method, 4
 - Gauss-Jordan, 51
 - system of, 2
- linear extension of a function, 186
- linear map, 183, *see also* homomorphism
 - dilation, 291
 - reflection, 291, 311
 - rotation, 290, 311
 - shear, 292
 - trace, 441
- linear maps, vector space of, 187
- linear recurrence, 452–459
 - definition, 454
- linear relationship, 104
- linear surface, 39
- linear transformation, 187, *see also* transformation
 - formation
- linearly dependent, 103
- linearly independent, 103

- LINPACK, 64
- magic square, 296–301
 - definition, 296
 - normal, 297
- map, A-7
 - distance-preserving, 308
 - self composition, 403
- Maple, 64
- Markov chain, 302–307
 - definition, 303
 - historyless, 303
- Mathematica, 64
- mathematical induction, 25, A-3
- MATLAB, 64
- matrix, 15
 - adjacency, 242
 - adjoint, 354
 - antisymmetric, 142
 - augmented, 15
 - block, 260, 334
 - change of basis, 252
 - characteristic polynomial, 397
 - column, 15
 - column space, 128
 - conditioning number, 69
 - determinant, 316, 322
 - diagonal, 220, 238
 - diagonalizable, 389
 - diagonalized, 259
 - echelon form, 15
 - elementary, 239
 - elementary reduction, 239, 290
 - entry, 15
 - equivalent, 259
 - Google, 450
 - identity, 233, 237
 - inverse, 244–251, 354
 - inverse, definition, 245
 - magic square, 296
 - main diagonal, 237
 - Markov, 243
 - matrix-vector product, 206
 - minimal polynomial, 233, 420
 - minor, 352
 - multiplication, 227
 - nilpotent, 409
 - nonsingular, 30, 218
 - orthogonal, 310
 - orthonormal, 308–313
 - permutation, 238, 330
 - rank, 216
 - representation, 205
 - row, 15
 - row equivalence, 53
 - row rank, 127
 - row space, 127
 - scalar multiple, 223
 - scalar multiplication, 17
 - similar, 349
 - similarity, 386
 - singular, 30
 - skew-symmetric, 334
 - sparse, 442
 - stochastic, 303, 450
 - submatrix, 325
 - sum, 17, 223
 - symmetric, 120, 142, 225, 233, 242, 282
 - trace, 225, 243, 297, 441
 - transition, 303
 - transpose, 21, 129, 225
 - triangular, 213, 243, 355
 - tridiagonal, 444
 - unit, 235
 - Vandermonde, 334
 - zero, 224
- matrix equivalence, 256–263
 - canonical form, 260
 - definition, 259
- mean
 - arithmetic, 48
 - geometric, 48
- member, A-5
- method of powers, 442–445
- minimal polynomial, 233, 420
- minor, of a matrix, 352
- morphism, 167
- multilinear, 327
- multiplication
 - matrix-matrix, 227

- matrix-vector, 206
- multiplicity, of a root, 383
- multiset, A-7
- mutual inclusion, A-5

- natural representative, A-11
- networks, 71–76
 - Kirchhoff's Laws, 72
- nilpotency, index of, 409
- nilpotent, 407–418
 - canonical form for, 413
 - definition, 409
 - matrix, 409
 - transformation, 409
- nonsingular, 218, 245
 - homomorphism, 217
 - matrix, 30
- normalize, vector, 42, 272
- null space, 196
 - closure of, 406
 - generalized, 406
- nullity, 196

- odd function, 98, 141
- one-to-one function, A-8
- onto function, A-8
- opposite map, 312
- ordered pair, A-7
- orientation, 346, 349
- orientation preserving map, 312
- orientation reversing map, 312
- orthogonal, 45
 - basis, 270
 - complement, 277
 - mutually, 269
 - projection, 277
- orthogonal matrix, 310
- orthogonalization, 271
- orthonormal basis, 272
- orthonormal matrix, 308–313

- page ranking, 448–451
- pair, ordered, A-7
- parallelepiped, 344
- parallelogram rule, 37
- parameter, 14

- parametrized, 14
- partial pivoting, 68
- partition, A-9–A-11
 - into isomorphism classes, 176
 - matrix equivalence classes, 259, 261
 - row equivalence classes, 53
- permutation, 330
 - inversions, 336
 - matrix, 238
 - signum, 338
- permutation expansion, 331, 335, 360
- permutation matrix, 330
- perp, of a subspace, 277
- perpendicular, 45
- perspective, triangles, 375
- physical dimension, 156
- pivoting, 51
 - full, 68
 - partial
 - scaled, 69
- plane figure, 308
 - congruence, 308
- point
 - at infinity, 374
 - in projective plane, 371
- polynomial, 382
 - associated with recurrence, 456
 - constant, 382
 - degree, 382
 - division theorem, 382
 - even, 441
 - factor, 383
 - irreducible, 383
 - leading coefficient, 382
 - minimal, 420
 - multiplicity, 383
 - of map, matrix, 419
 - root, 383
- populations, stable, 446–447
- potential, electric, 71
- powers, method of, 442–445
- preserves structure, 183
- probability vector, 303
- projection, 183, 193, 264, 282, 426
 - along a subspace, 274

- central, 369
 - vanishing point, 368
 - into a line, 265
 - into a subspace, 274
 - orthogonal, 265, 277
- projective geometry, 368–379
- projective plane
 - ideal line, 374
 - ideal point, 374
 - lines, 373
- proof techniques, A-3–A-5
 - induction, 25
- proper subset, A-5
- proper subspace, 91
- propositions
 - equivalent, A-2
- quantifier, A-2
 - existential, A-3
 - universal, A-2
- quantifiers, A-2
- range, A-7
- range space, 192
 - closure of, 406
 - generalized, 406
- rank, 131, 216
 - column, 128
 - of a homomorphism, 192, 197
- recurrence, 352, 452, 454
 - associated polynomial, 456
 - initial conditions, 454
- recurrence relation, 452–459
- reduced echelon form, 51
- reflection, 291, 311
 - glide, 312
- reflection (or flip) about a line, 170
- reflexivity, of a relation, A-9
- relation, A-9
 - equivalence, A-9
 - reflexive, A-9
 - symmetric, A-9
 - transitive, A-9
- relationship
 - linear, 104
- representation
 - of a matrix, 205
 - of a vector, 117
- representative
 - canonical, A-11
 - class, A-11
 - for row equivalence classes, 60
 - of matrix equivalence classes, 260
 - of similarity classes, 435
- rescaling rows, 5
- resistance, 71
- resistance:equivalent, 75
- resistor, 72
- restriction, A-9
- right inverse, A-8
- rigid motion, 308
- root, 383
 - characteristic, 402
- rotation, 290, 311
- rotation (or turning), 170
 - represented, 208
- row, 15
 - rank, 127
 - vector, 16
- row equivalence, 53
- row rank, 127
 - full, 134
- row space, 127
- Rule of Sarrus, 366
- Sage, 64
- salt, 146
- Sarrus, Rule of, 366
- scalar, 78
- scalar multiple
 - matrix, 223
 - vector, 17, 36, 78
- scalar multiplication
 - matrix, 17
- scalar product, 43
- scaled partial pivoting, 69
- Schwarz Inequality, 45
- self composition
 - of maps, 403
- sense, 346
- sensitivity analysis, 247
- sequence, A-7

- concatenation, 137
- set, A-5
 - complement, A-6
 - element, A-5
 - empty, A-5
 - intersection, A-6
 - member, A-5
 - union, A-6
- sets, A-5
 - dependent, independent, 103
 - empty, 105
 - mutual inclusion, A-5
 - proper subset, A-5
 - span of, 94
 - subset, A-5
- sgn
 - seesignum, 338
- shear, 292
- shift, 408
- signum, 338
- similar, 321, 349
 - canonical form, 435
- similar matrices, 386
- similar triangles, 312
- similarity, 386–402
- similarity transformation, 402
- single precision, 66
- singular
 - homomorphism, 217
 - matrix, 30
- size, 345, 346
- skew-symmetric, 334
- span, 94
 - of a singleton, 99
- sparse matrix, 442
- spin, 153
- square root, 441
- stable populations, 446–447
- standard basis, 115, 385
 - complex number scalars, 385
- state, 302
- Statics problem, 1, 5
- stochastic matrix, 303, 450
- string, 410
 - basis, 410
 - of basis vectors, 408
- structure
 - preservation, 183
- submatrix, 325
- subset, proper, A-5
- subspace, 90–101
 - closed, 92
 - complementary, 139
 - definition, 90
 - direct sum, 139
 - improper, 91
 - independence, 138
 - invariant, 431
 - proper, 91
 - sum, 135
- sum
 - matrix, 17
 - of matrices, 223
 - of subspaces, 135
 - vector, 17, 36, 78
- summation notation, for permutation expansion, 331
- swapping rows, 5
- symmetric matrix, 120, 142, 225, 233
- symmetry, of a relation, A-9
- system of linear equations, 2
 - elimination, 3
 - Gauss's Method, 3
 - Gaussian elimination, 3
 - linear elimination, 3
 - solving, 3
- Tower of Hanoi, 456
- trace, 225, 243, 297, 441
- transformation
 - characteristic polynomial, 397
 - composed with itself, 403
 - diagonalizable, 389
 - eigenspace, 397
 - eigenvalue, eigenvector, 393
 - Jordan form for, 435
 - minimal polynomial, 420
 - nilpotent, 409
 - canonical representative, 413
 - projection, 426
 - shift, 408

- size change, 346
- transition matrix, 303
- transitivity, of a relation, A-9
- translation, 309
- transpose, 21, 129
 - determinant, 332, 341
 - interaction with sum and scalar multiplication, 225
 - is linear, 134
- Triangle Inequality, 43
- triangles, similar, 312
- triangular matrix, 243
- Triangularization, 213
- tridiagonal form, 444
- trivial space, 82, 115
- turning map, 170

- union of sets, A-6
- unit matrix, 235

- vacuously true, A-2
- value, of a function, A-7
- Vandermonde matrix, 334
- vanishing point, 368
- vector, 16, 35
 - angle, 45
 - canonical position, 36
 - column, 16
 - component, 16
 - cross product, 320
 - direction, 38
 - dot product, 43
 - free, 35
 - homogeneous coordinate, 371
 - length, 42
 - natural position, 36
 - normalize, 42
 - orthogonal, 45
 - perpendicular, 45
 - probability, 303
 - representation of, 117, 252
 - row, 16
 - satisfies an equation, 16
 - scalar multiple, 17, 36, 78
 - standard position, 36
 - sum, 17, 36, 37, 78
 - unit, 47
 - zero, 16
- vector space, 78–101
 - basis, 114
 - closure, 78
 - complex scalars, 89
 - definition, 78
 - dimension, 123
 - dual, 202
 - finite dimensional, 121
 - homomorphism, 183
 - isomorphism, 167
 - map, 183
 - over complex numbers, 381
 - subspace, 90
 - trivial, 82, 115
- Venn diagram, A-6
- voltage drop, 72
- volume, 346
- voting paradox, 150–155
 - definition, 150
 - majority cycle, 150
 - rational preference order, 151
 - spin, 153

- well-defined, 177, 178, A-7
- Wheatstone bridge, 73, 75

- zero division, 251
- zero divisor, 233
- zero homomorphism, 184
- zero matrix, 224
- zero vector, 16, 78